IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of the

claims:

Claims 1-62 (Cancelled).

63. (Currently amended) An isolated galactose oxidase variant

which has at least 60% 90% amino acid sequence identity to SEQ ID NO:10

wherein the amino acid at position 537 is N, a-wild-type D. dendroides galactose

oxidaso and

which variant has a mutation in at least one amino acid aligned with

an amino acid selected from the group consisting of A3, S10, M70, P136, G195,

T218, L312, V494, C515, N535, N537, S610, and N413 and S550 of the wild-

typo-galactoso oxidase.

(Currently amended) An isolated galactose oxidase variant 64.

which has at least 9060% amino acid sequence identity to a wild-type-D.

dendroides galactose exidase SEQ ID NO:10 wherein the amino acid at position

<u>537</u> is N;

which variant has and at least one of the amino acid mutations

corresponding to V494A and G195E, and at least one of the amino acid mutations

{M:\4058\1g811us1\00004384.DOC /集議與新雄推翻鐵網網報費 } Serial No. 09/722,602

Response to Office Action dated February 11, 2003

Docket No. 4058/1G811US1

corresponding to S10P, M70V, G195E, V494A, C515S, N535D, N537D and N413D-of the wild-type-galactose exidase.

65. (Currently amended) The isolated variant of claim 64, which has the amino acid mutation corresponding to N537D of the wild-type galactose oxidase.

(Currently amended) The isolated variant of claim 64, which has 66. the amino acid mutation corresponding to V494A of the wild-type galactose oxidase.

(Currently amended) The isolated variant of claim 66, further comprising the amino acid mutation corresponding to C515S of the wild-type galactose exidase.

68. (Currently amended) The isolated variant of claim 66, further comprising the amino acid mutation corresponding to S10P of the wild-type galactose oxidase.

{M:\4058\1g811us1\00004384.DOC |配象医过程图图括键图题错错误 } Serial No. 09/722,602 Response to Office Action dated Fobruary 11, 2003

Docket No. 4058/1G811US1

(Currently amended) The isolated variant of claim 66, further 69. comprising a silent mutation at a position corresponding to P136 of the wild-type galactose-oxidaso.

(Currently amended) The isolated variant of claim 68, further 70. comprising a silent mutation at a position corresponding to P136 of the wild-type galactose exidase.

(Currently amended) The isolated variant of claim 66, further 71. comprising the amino acid mutation corresponding to G195E of the wild type galactose oxidase.

(Currently amended) The isolated variant of claim 71, further 72. comprising a silent mutation in at least one of the positions corresponding to A3 and P136 of the wild type galactese exidese.

(Currently amended) The isolated variant of claim 66, further 73. comprising the amino acid mutation corresponding to N535D of the wild-type galactose oxidase.

{M:\4058\1g811us1\00004384.DOC 國際國際國際國際國際國際國際 } Serial No. 09/722,602 Response to Office Action dated February 11, 2003

(Currently amended) The isolated variant of claim 73, further 74.

comprising a silent mutation in at least one of the positions corresponding to P136,

L312, and T218-of-the-wild-type galactose-oxidase.

(Currently amended) The isolated variant of claim 66, further 75.

comprising the amino acid mutation corresponding to M70V of-the-wild-type

galactose-oxidase.

76. (Currently amended) The isolated variant of claim 75, further

comprising a silent mutation at a position corresponding to P136 ef-the-wild-type

galactose oxidase.

77. (Currently amended) The isolated variant of claim 64, which has

the amino acid mutations corresponding to S10P, M70V, G195E, V494A and

N535D of the wild-type galactose oxidase.

(Currently amended) The isolated variant of claim 77, further 78.

comprising a silent mutation at a position corresponding to P136-of the wild-type

galactose oxidase.

{M:\4058\1g811us1\00004384.DOC | 配開財政政府提出期限的課題 }

Serial No. 09/722,602

Response to Office Action dated February 11, 2003

Docket No. 4058/1G811US1

79. (Currently amended) The isolated variant of claim 64, which has the amino acid mutation corresponding to N413D of the wild-type-galactose exidase.

80. (Currently amended) The isolated variant of claim 79, further comprising a silent mutation at a position corresponding to \$550 of the wild-type galactose exidase.

81. (Currently amended) The isolated variant of claim 66, further comprising the amino acid mutation corresponding to N413D of the wild-type galactose exidase.

82. (Currently amended) The isolated variant of claim 81, further comprising a silent mutation in at least one of a position positions corresponding to S550 and S610-of-the wild-type-galactose-oxidase.

83. (Currently amended) An isolated galactose oxidase variant which has at least 6090% amino acid sequence identity to a wild-type D. dendroides galactose oxidase from ATCC46032 and a mutation in at least one amino acid aligned with an amino acid selected from the group consisting of A3,

{M:\4058\1g811us1\00004384.DOC I嚴屆關聯部問題講用報題書 }
Sorial No. 09/722,602
Response to Office Action dated February 11, 2003

S10, M70, P136, T218, L312, C515, N535, N537, S550, S610, and N413 of the wild-type galactose oxidase.

- 84. (Currently amended) The isolated variant of claim 83, further comprising at least one amino acid-mutation in an amino acid corresponding to an amino acid a mutation-selected from the group consisting of G195 and V494 of the wild-type galactose oxidase, and wherein the variant has improved D_galactose oxidation activity as compared to the wild-type galactose oxidase.
- 85. (Currently amended) The isolated variant of claim 83, wherein the mutation is selected from a mutation corresponding to at least one of the group consisting of S10P, M70V, N413D C515S, N535D, and N537D of wild-type galaetese oxidase.
- 86. (Currently amended) The isolated variant of claim 85, further comprising at least one amino acid mutation corresponding to a mutation selected from the group consisting of G195E and V494A of wild-type-galactose-oxidase.
- 87. (Currently amended) An isolated galactose oxidase variant which has at least $69\underline{90}\%$ amino acid sequence identity to a wild-type D. dendroides galactose oxidase from ATCC46032 and a mutation in an amino acid

{M:\4058\1g811us1\00004384.DOC 認識開闢這個問題造用整理課題 } Serial No. 09/722,602 Response to Office Action dated February 11, 2003

corresponding to N537 of the wild-type galactose oxidase, and wherein the variant has improved D-galactose oxidation activity as compared to the wild-type galactose oxidase.

(Previously amended) The isolated variant of claim 87, wherein 88. the mutation is N537D.

(Currently amended) An isolated galactose oxidase variant 89. which has at least 6090% amino acid sequence identity to a wild-type D. dendroides galactose oxidase from ATCC46032 and mutations in amino acids corresponding to V494 and C515 of the wild-type galactose oxidase, and wherein the variant has improved D-galactose oxidation activity as compared to the wildtype galactose oxidase.

(Previously amended) The isolated variant of claim 89, wherein 90. the mutations are V494A and C515S.

> 91. (Canceled)

92. (Canceled)

{M:\4058\1g811us1\00004384.DOC | 超個關鍵機關與整礎網數數 } Serial No. 09/722,602 Response to Office Action dated February 11, 2003

(Currently amended) An isolated galactose oxidase variant 93. which has at least $60\underline{90}\%$ amino acid sequence identity to a wild-type E. dendroides galactose oxidase of ATCC46032 and mutations in amino acids corresponding to V494, P136, and S10 of the wild-type galactose exidase, and wherein the variant has improved D-galactose oxidation activity as compared to the wild-type galactose oxidase.

94. (Previously amended) The isolated variant of claim 93, wherein the V494 mutation is V494A, and the S10 mutation is S10P.

> 95. (Canceled)

96. (Canceled).

(Currently amended) An isolated galactose oxidase variant 97. which has at least 6090% amino acid sequence identity to a wild-type D. dendroides galactose oxidase of ATCC46032 and mutations in amino acids corresponding to V494, P136, L312, and N535, and T218 of the wild-type galactose oxidase, and wherein the variant has improved D-galactose oxidation activity as compared to the wild-type galactose oxidase.

{M:\4058\1g811us1\00004384.DOC |原陳蘇聯護問期整選問題報報報 } Serial No. 09/722,602 Response to Office Action dated February 11, 2003

Docket No. 4058/1G811US1

98. (Previously amended) The isolated variant of claim 97, wherein

the V494 mutation is V494A, and the N535 mutation is N535D.

99. (Currently amended) An isolated galactose oxidase variant

which has at least 6090% amino acid sequence identity to a wild-type D.

dendroides galactose oxidase from D. dendroides of ATCC46032 and mutations in

amino acids corresponding to V494 , P136, and M70 of the wild-type galactose

oxidase, and wherein the variant has improved D-galactose oxidation activity as

compared to the wild-type galactose oxidase.

100. (Previously amended) The isolated variant of claim 99, wherein

the V494 mutation is V494A, and the M70 mutation is M70V.

101. (Currently amended) An isolated galactose oxidase variant

which has at least 6090% amino acid sequence identity to a wild-type D.

dendroides galactose oxidase from ATCC46032 and mutations in amino acids

corresponding to V494, S10, P136, M70, G195, and N535 of the wild-type

galactose oxidase, and wherein the variant has improved D_galactose oxidation

activity as compared to the wild-type galactose oxidase.

{M:\4058\19811us1\00004384.DOC | 翻集區發露層降間隨劃速對證據 }

Serial No. 09/722,602

Response to Office Action dated February 11, 2003

Docket No. 4058/1G811US1

102. (Previously amended) The isolated variant of claim 101, wherein the V494 mutation is V494A, the S10 mutation is S10P, the M70 mutation is M70V, the G195 mutation is G195E, and the N535 mutation is N535D.

103. (Currently amended) An isolated galactose oxidase variant which has at least 6090% amino acid sequence identity to a wild-type-Ddendroides-galactose exidase SEQ ID NO:10 wherein the amino acid at position 537 is N, which variant has and a mutation in an amino acid corresponding to N413 of the wild-type galactose exidase, and wherein the variant has improved D_galactose-exidation-activity-as compared to the wild-type galactose exidase.

104. (Previously amended) The isolated variant of claim 103, wherein the mutation is N413D.

105. (Currently amended) An isolated galactose oxidase variant which has at least 9060% amino acid sequence identity to a wild-type D. dendroides galactose oxidase of ATCC46032 and a mutation in an amino acids acid corresponding to N413 and S550 of the wild-type galactose oxidase, and wherein the variant has improved D-galactose oxidation activity as compared to the wild-type galactose oxidase.

{M:\4058\19811us1\00004384.DOC | 还提底韓語團應區園園證問刊 } Sorial No. 09/722,602 Response to Office Action deted February 11, 2003

106. (Previously amended) The isolated variant of claim 105, wherein

the N413 mutation is N413D.

107. (Currently amended) An isolated galactose oxidase variant

which has at least 6090% amino acid sequence identity to SEQ ID NO:10 wherein

the amino acid at position 537 is N, a-wild-type galactose oxidase D. dendroides

and which variant has a mutation mutations in amino acids corresponding to N413,

S550 and V494 of the wild-type galactose exidase, and wherein the variant has

improved D_galactose exidation activity as compared to the wild-type galactose

oxidase.

108. (Previously amended) The isolated variant of claim 107, wherein

the N413 mutation is N413D, and the V494 mutation is V494A.

109. (Currently amended) An isolated galactose oxidase variant

which has at least 6090% amino acid sequence identity to a wild-type D.

dendroides galactose oxidase of ATCC46032 and mutations in amino acids

corresponding to N413 , S550, and V494 , and S610 of the wild-type galactose

oxidase, and wherein the variant has improved D-galactose oxidation activity as

compared to the wild-type galactose oxidase.

{M:\4058\1g811us1\00004384.DOC:|医医副医籍项限验证证据系列}

Serial No. 09/722,602

Response to Office Action dated February 11, 2003

Docket No. 4058/1G811US1

110. (Previously amended) The isolated variant of claim 109, wherein the N413 mutation is N413D, and the V494 mutation is V494A.

111. (Allowed) An isolated galactose oxidase having an amino acid sequence selected from the group consisting of SEQ ID NOS: 10-21.

112. (Cancelled).

113. (New) The isolated variant of claim 63, wherein the galactose oxidase variant has about 99% amino acid sequence identity to SEQ ID NO:10 wherein the amino acid at position 537 is N.

114. (New) The isolated variant of claim 64, wherein the galactose oxidase variant has about 99% amino acid sequence identity to SEQ ID NO:10 wherein the amino acid at position 537 is N.

115. (New) The isolated variant of claim 107, wherein the galactose oxidase variant has about 99% amino acid sequence identity to SEQ ID NO:10 wherein the amino acid at position 537 is N.

{M:\4058\1g811us1\00004384.DOC | 假理問題推測基礎問題指導 } Script No. 09/722,602 Response to Office Action dated February 11, 2003

116. (New) The isolated variant of claim 83, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

117. (New) The isolated variant of claim 87, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

118. (New) The isolated variant of claim 89, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

119. (New) The isolated variant of claim 93, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

120. (New) The isolated variant of claim 97, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

{M:\4058\1g811us1\00004384.DOC |配用際問題問題時間課題日間 } Serial No. 09/722,602 Response to Office Action dated February 11, 2003

121. (New) The isolated variant of claim 99, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

122. (New) The isolated variant of claim 101, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

123. (New) The isolated variant of claim 103, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

124. (New) The isolated variant of claim 105, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

125. (New) The isolated variant of claim 109, wherein the galactose oxidase variant has about 99% amino acid sequence identity to wild-type D. Dendroides galactose oxidase of ATCC46032.

{M:\4058\1g811us1\00004384.DOC 國領關釋到推聯盟推出 } Scrial No. 09/722,602 Response to Office Action dated February 11, 2003